



TITLE:

Vol.9表紙・総目次・Record of Works for 1958

AUTHOR(S):

CITATION:

Vol.9表紙・総目次・Record of Works for 1958. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1961, 9(2)

ISSUE DATE:

1961-12-20

URL:


<http://hdl.handle.net/2433/175282>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume IX



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1961

CONTENTS

No. 1 (May 30, 1961)

1. Furuhashi, K.: On the Possible Segregation Found in the Copepod Fauna in the Deep Waters off the South-eastern Coast of Japan.	1
2. Furuhashi, K.: On the Distribution of Chaetognaths in the Waters off the South-eastern Coast of Japan.	17
3. Nagata, K.: Two New Amphipods of the Genus <i>Eurythenus</i> from Japan.	31
4. Baba, K.: On the Identification and the Affinity of <i>Tamanovalva limax</i> , a Bivalved Sacoglossan Mollusc in Japan.	37
5. Baba, K. and Hamatani, I.: On Two Species of <i>Doriopsis</i> (syn. <i>Ctenodoris</i>) from Japan (Nudibranchia-Dorididae).	63
6. Hamatani, I.: Notes on Veligers of Japanese Opisthobranchs (3).	67
7. Imajima, M.: Polychaetous Annelids Collected off the West Coast of Kamchatka. I. Notes on Species Found in the Collection of 1957-58. ...	81
8. Tokioka, T.: Ascidians collected During the Melanesia Expedition of the Osaka Museum of Natural History. I. Ascidians Presented by Dr. R. L. A. Catala of the Aquarium of Noumea.	103
9. Tanaka, O.: The Pelagic Copepods of the Izu Region, Middle Japan. Systematic Account VII. Family Scolecithricidae (Part 1)	139
10. Harada, E.: Palinurid and Scyllarid Lobsters (Crustacea Decapoda) from New Caledonia.	191
11. Utinomi, H.: Noteworthy Octocorals Collected off the Southwest Coast of Kii Peninsula, Middle Japan. Part 2, Telestacea, Gorgonacea and Pennatulacea.	197
12. Utinomi, H.: A Revision of the Nomenclature of the Family Nephtheidae (Octocorallia: Alcyonacea). II. The Boreal Genera <i>Gersemia</i> , <i>Duva</i> , <i>Drifa</i> and <i>Pseudodrifa</i> (n. g.).	229

No. 2 (December 20, 1961)

13. Ehara, Sh.: Some Snout Mites from Japan (Acarina: Bdellidae).	247
14. Yamamoto, T. and Habe, T.: <i>Nipponomontacuta actinariophila</i> gen. et sp. nov., a New Commensal Bivalve of the Sea Anemone.	265
15. Tokioka, T.: The Structure of the Operculum of the Species of Atlantidae (Gastropoda: Heteropoda) as a Taxonomic Criterion, with Records of Some Pelagic Mollusks in the North Pacific.	267
16. Okutani, T.: Notes on the Genus <i>Carinaria</i> (Heteropoda) from Japanese and Adjacent Waters.	333
17. Hamatani, I.: Notes on Veligers of Japanese Opisthobranchs (4).....	353
18. Hamatani, I.: Preliminary Account of a New Species of <i>Okenia</i> from Osaka Bay, Japan (Nudibranchia-Goniadorididae).	363
19. Baba, K.: Three New Species of the Genus <i>Catriona</i> from Japan	

(Nudibranchia-Eoridacea).	367
20. Mori, S.: Rhythmic Activity of the Seaside Barnacle <i>Tetraclita squamosa japonica</i> Pilsbry in Winter.	373
21. Matutani, K.: Studies on the Heat Resistance of <i>Tigriopus japonicus</i>	379
22. Utinomi, H.: Studies on the Cirripedia Acrothoracica. III. Development of the Female and Male of <i>Berndtia purpurea</i> Utinomi.	415
23. Tokioka, T.: Record of an Unusual Fish Stranding in Winter, with the List of Stranded Fishes Identified by Prof. K. Matsubara.	447

Record of Works Done at the Seto Marine Biological Laboratory (Published in 1958).	451
---	-----

AUTHOR INDEX

Baba, K.	37, 367
Baba, K. and Hamatani, I.	63
Ehara, Sh.	247
Furuhashi, K.	1, 17
Habe, T. <i>See</i> Yamamoto, T. and Habe, T.	
Hamatani, I. 67, 353, 363. <i>Also see</i> Baba, K. and Hamatani, I.	
Harada, E.	191
Imajima, M.	81
Matutani, K.	379
Mori, S.	373
Nagata, K.	31
Okutani, T.	333
Tanaka, O.	139
Tokioka, T.	103, 267, 447
Utinomi, H.	197, 229, 413
Yamamoto, T. and Habe, T.	265

RECORD OF WORKS DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1958 (昭和33年)

Contribution
No. (Jap. No.)

- *BABA, Kikutaro (馬場菊太郎) : 日本の海辺生物生態写真集 (Seashore life of Japan.) 4 color plates, 148 plates and 8 index pages. Hokuryukan, Tokyo.
- FUSE, Sh., YAMAZI, I. & HARADA, E. : A study on the productivity of the Tanabe Bay (Part I). I. Oceanographic conditions of the Tanabe Bay. Results of the survey in the autumn of 1956. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 3-9.305 b
- HABE, Tadashige (波部忠重) : Report on the Mollusca chiefly collected by the S. S. Sôyô-maru of the Imperial Fisheries Experimental Station on the continental shelf bordering Japan during the years 1922-1930. Part 3. Lamellibranchia (1). *Publ. Seto Mar. Biol. Lab.*, 6 (3), pp. 241-280, pls. 11-13.309
- : Ditto. Part 4. Lamellibranchia (2). *Ibid.*, 7 (1), pp. 19-52, pls. 1-2.317
- : A study on the productivity of the Tanabe Bay (Part I). VI. Zonal arrangement of intertidal benthic animals in the Tanabe Bay. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 43-49.305 g
- *———— : ユキカラマツガイ科の2新種 [Two new species of the family Trimusculidae from Japan and Formosa.] 貝類雑 [Venus], 19 (3.4), pp. 157-160.
- *———— : 日本産二枚貝類4新種 [Descriptions of four new bivalves from Japan.] *Ibid.*, 19 (3.4), pp. 177-183.
- *———— : 巻貝類10新種 [Descriptions of ten new gastropod species.] *Ibid.*, 20 (1), pp. 32-42.
- *———— : 日本産海産腹足類の歯舌に就いて (4) [On the radulae of Japanese gastropods (4).] *Ibid.*, 20 (1), pp. 43-59, pls. 2-3.
- *———— : 日本産二枚貝類5新種 [Descriptions of five new bivalves from Japan.] *Ibid.*, 20 (2), pp. 173-180.
- HANEDA, Yata : Studies on the luminous organisms found in the waters adjacent to the Pacific coasts of Japan. Report II. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 171-174.
- HARADA, Eiji (原田英司) : Notes on the naupliosoma and newly hatched phyllosoma of *Ibacus ciliatus* (von Siebold). *Publ. Seto Mar. Biol. Lab.*, 7 (1), pp. 173-180, pls. 9-11.....321

- HARADA, Eiji [原田英司]: 紀南の海中生物 [Marine animals in the southern Kii region.] 科学朝日 [Kagaku Asahi], 18 (10), p. 1 with one color plate.
- HATAI, Katora & MII, Hideo: An erosion feature observed in Wakayama and Shizuoka Prefectures, Japan. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 221-225.
- HAYAMI, Sh., FUKUO, Y. & YODA, D.: A study on the productivity of the Tanabe Bay (Part I). III. On the exchange of water and the productivity of a bay with special reference to the Tanabe Bay. *Ibid.*, Spec. No. 2, pp. 15-25.305 d
- ISHIBASHI, M., UEDA, Sh., YAMAMOTO, Y. & MORII, F.: Studies on the utilization of the shallow-water deposits (continued). On the copper content of the shallow-water deposits at the seacoasts of the Kii Peninsula and other districts. *Ibid.*, Spec. No. 2, pp. 221-225.
- KAWAI, Kiyozo [河合清三]: 海産二枚貝組織の末端酸化系について [On the terminal oxidase system in marine lamellibranch tissues.] 日水会誌 [Bull. Jap. Soc. Sci. Fish.], 23 (7), pp. 738-742.(Jap. 126)
- : Cytochrome system in oyster tissues. *Nature*, 181, p. 1468. ...313
- KOBAYASHI, Naomasa [小林直正]: ウニ卵の分裂装置に対するデメコルチンの影響 [Effects of demecolcine upon the mitotic apparatus of sea-urchin eggs.] 遺伝学雑 [Jap. J. Genetics], 33 (9), pp. 286-295.(Jap. 135)
- KOJIMA, Yoshio [小島芳男]: タマキビおよびクロタマキビの繁殖 [On the breeding of periwinkles, *Littorivaga brevicula* (Philippi) and *Littorivaga atkana* (Dall).] 貝類雑 [Venus], 19 (3.4), pp. 224-229.
- : エゾタマキビおよびイボタマキビの浮游性卵囊 [On the floating egg capsule of periwinkles, *Littorina squalida* Broderip et Sowerby and *Nodilittorina pyramidalis* (Quoy et Gaimard).] *Ibid.*, 19 (3.4), pp. 233-237.
- KURODA, Tokubei [黒田徳米]: On the more species of *Assimineia* from Japan (a freshwater gastropod genus). *Ibid.*, 20 (1), pp. 16-22.
- : Descriptions of five new species of Japanese marine gastropods. *Ibid.*, 20 (1), pp. 22-30, pls. 20-21.
- : 日本産ツグチガイ系のウミウサギ類 [The Japanese species of the Amphiperatidae (Gastropoda).] *Ibid.*, 20 (2), pp. 167-173.
- *MIYADI, Denzaburo [宮地伝三郎]: 生態系の地域構造. A. 海洋の生態系 [Regional structure of ecosystem. A. Ecosystem of the sea.] 現代生物学講座 [Lectures of Modern Biology], 5, pp. 196-230. Kyoritsu Shuppan K. K., Tokyo.
- MIYADI, D. & HAYAMI, Sh.: A study on the productivity of the Tanabe Bay (Part I). Introduction. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 1-2.305 a

- MORI, Syuiti [森 主一]: Rhythmic activity of the seaside barnacle *Tetraclita squamosa japonica* Pilsbry. *Mem. Coll. Sci. Univ. Kyoto*, Ser. B, 25 (1), pp. 23-30.314
- : 海中木材加害生物の着生する季節 [Seasonal change in the attachment of marine organisms to submerged timber.] 岡田 要編: 木船木材蝕害とその防除 [OKADA, Yo K. (ed.): *Boring injuries of wooden ships and timbers and their protection*], pp. 73-74. Tokyo.(Jap. 127)
- : 海中木材加害動物の水深による加害差 [Do marine boring organisms injure timbers differently as the depth of water differs?] *Ibid.*, pp. 75-77.(Jap. 128)
- : 水中における木材の傾斜度と木船害虫の加害度の関係 [Relations between degrees of inclination of submerged wood board and degrees of injury by marine organisms.] *Ibid.*, pp. 78-80.(Jap. 129)
- : キクイムシの趨性 [Toxic behaviors of marine wood-borer, *Limnoria lignorum*.] *Ibid.*, pp. 163-168.(Jap. 130)
- : 木船加害防除に対する諸種塗料の効果 [Effectiveness of various paints for protecting bottom fouling or boring organisms of wooden ship.] *Ibid.*, pp. 247-248.(Jap. 131)
- : フナクイムシおよびキクイムシに対するコールタール・クレオソート油およびその溜分等の致死効果 [Lethal effects of coal-tar creosote and its various fractions on *Teredo*-larvae and *Limnoria*.] *Ibid.*, pp. 249-256.(Jap. 132)
- : 木造船加害動物に対するクレオソート油の各種溜分塗布板の耐蝕性 [Field tests on protective efficiencies of various creosote distillates when spread on *Cryptomeria* board.] *Ibid.*, pp. 257-259.
- : コールタールクレオソート油注入材の木造船虫害防除のための利用 [Utilization of coal-tar creosote impregnated timber for the protection wooden ship from wood-boring animals.] *Ibid.*, pp. 260-268.(Jap. 133)
- NAKAMURA, Akikazu: A study on the productivity of the Tanabe Bay (Part I). II. Tidal currents in the Tanabe Bay. Observations of tidal currents by the method of drift bottles (Introductory report). *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 10-14.305 c
- NISHIBORI, Kokichi: Studies on the pigments of marine animals. VI. Carotenoids of some tunicates. *Publ. Seto Mar. Biol. Lab.*, 7 (1), pp. 181-192, pl. 12.322
- NOZAWA, Kanefumi [野沢兼文]: フナクイムシ幼生の研究 [Studies on *Teredo*-larvae.] 岡田 要編: 木船木材蝕害とその防除, pp. 105-108.
- *OHSAWA, W. & TSUKUDA, H. [大沢 済・佃 弘子]: アラレタマキビの出殻反応及び抑制効果における陽イオンの関係 [Effects of cations in provoking and inhibiting the extruding response in *Nodilittorina granularis* (Gray).] 動物雑 [Zool. Mag.], 67 (1.2), p. 14.

- OKUNO, R., FUSE, Sh. & HARADA, E. : A study on the productivity of the Tanabe Bay (Part I). V. Distribution and abundance of rocky reef fishes in the Tanabe Bay. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 36-42.305 f
- SEGAWA, Sokichi : Marine algae of the Kii Peninsula, with special reference to the Corallinaceae (Preliminary report). *Ibid.*, Spec. No. 2, pp. 167-169.
- SHIINO, Sueo M. : Note on the bopyrid fauna of Japan. *Rep. Fac. Fish. Pref. Univ. Mie*, 3 (1), pp. 29-73, pl. 3.
- : Copepods parasitic on Japanese fishes. 17. Lerneidae. *Ibid.*, 3 (1), pp. 75-100.
- TAHARA, Y., OKADA, M. & KOBAYASHI, N. : Secondary sexual characters in Japanese sea-urchins. *Publ. Seto Mar. Biol. Lab.*, 7 (1), pp. 165-172, pls. 7-8.320
- TAKEDA, Nobuyuki [武田 信之] : フナクイムシ幼生の趨化性について (予報) [On the chemotaxis of *Teredo*-larvae (Preliminary report).] 岡田 要編 : 木船木材蝕害とその防除, pp. 109-111.
- TOKIOKA, Takasi : Contributions to Japanese Ascidian fauna. XII. Sporadic memoranda (3). *Publ. Seto Mar. Biol. Lab.*, 6 (3), pp. 313-325.311
- : Further notes on some appendicularians from the eastern Pacific. *Ibid.*, 7 (1), pp. 1-17.316
- TOKIOKA, T. & BERNER, Leo : Two new doliolids from the eastern Pacific Ocean. *Pacific Sci.*, 12 (2), pp. 135-138.308
- & ———— : On certain Thaliacea (Tunicata) from the Pacific Ocean, with descriptions of two new species of doliolids. *Ibid.*, 12 (4), pp. 317-328.315
- TSUKUDA, Hiroko & OHSAWA, Wataru [佃 弘子・大沢 済] : 潮間帯腹足類の出殻反応にたいする Mg と Na イオンの有効性 [The effectiveness of Mg and Na ions applied jointly in provoking the extruding response in some intertidal gastropods.] 生理生態 [Physiol. and Ecol.], 8 (1), pp. 3-8.(Jap. 134)
- UTINOMI, Huzio [内海富士夫] : A new stalked cirriped (*Pisiscalpellum withersi* n. gen. et n. sp.) from Sagami Bay and a discussion on its phylogeny. *Jap. J. Zool.*, 12 (2), pp. 113-122.298
- : A study on the productivity of the Tanabe Bay (Part I). VII. Horizontal distribution of intertidal communities on rocky shores around the Tanabe Bay (Preliminary report). *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 2, pp. 50-56.305 h
- : Studies on the Cirripedian fauna of Japan. VII. Cirripeds from Sagami Bay. *Publ. Seto Mar. Biol. Lab.*, 6 (3), pp. 281-312.310
- : On some octocorals from deep waters of Prov. Tosa, Sikoku. *Ibid.*, 7 (1), pp. 89-110, pls. 5-6.318

- UTINOMI, Huzio [内海富士夫] : A revision of the genera *Nidalia* and *Belonella*, with an emendation of the nomenclature and taxonomic definitions for the family Nidaliidae (Octocorallia, Alcyonacea). *Bull. Brit. Mus. (Nat. Hist.), Zool.*, 5 (5), pp. 99-121.307
- *————— : ダーウィンの進化論と分類学 [Darwin's "Origin of species" and his monographic works of Cirripedia.] 宮地伝三郎編 : ダーウィニズムと現代の諸科学 [D. MIYADI (ed.) : *Darwinism and various sciences in modern times*], pp. 123-142. Rironsha, Tokyo.
- UTINOMI, H. & HARADA, E. : A list of bottom animals collected by a trawler "Kaiun-maru" off the southwest coast of Kii Peninsula. *Publ. Seto Mar. Biol. Lab.*, 6 (3), pp. 385-395.312
- YAMADA, Yukio : A preliminary list of the marine algae from the shores of the Kii Peninsula. *Rec. Oceanogr. Wks. Japan*, N. S., Sec. No. 2, pp. 181-186.
- YAMAZI, Isamu : A study on the productivity of the Tanabe Bay (Part I). IV. On some plankton indicating the water exchange in the Tanabe Bay. *Ibid. Spec. No. 2*, pp. 25-35.305 e
- : Preliminary list of plankton organisms found in Tanabe Bay and its environs. *Publ. Seto Mar. Biol. Lab.*, 7 (1), pp. 111-163.319

* Japanese text only.